

TOTO LINK

The Smartest Network Device

www.totolink.net



SS001

➤ Overview


Air Conditioning Companion

Model No. **SS001**

Air conditioning companion is an air conditioning intelligent controller, which makes traditional air conditioners intelligent. It can remote control traditional air conditioners through APP anytime and anywhere, check the power consumption of air conditioners whenever you want, support to set up different air conditioning modes and adapt to different types of air conditioning brands to make your life more delicate and intelligent. It will be a pioneer in a new age of intelligent air conditioner control.

➤ Features

- Wi-Fi transmission technology. Work with air conditioner through infrared signals to realize multiple functions.
- Support to remote control the switch, wind speed, wind direction and temperature of air conditioner and other states.
- Support to monitor the actual power of the air conditioner accurately and summarize the power consumption.
- Support to switch different air conditioning modes, easy to set up cooling, heating and sleep mode.
- Stronger compatibility. Adapt to the vast majority of air conditioning brands commonly used on the market.
- Support check the running status in real time, easy to monitor the running status of the air conditioner.
- Free-Installation, Easy Setup. TOTOLINK APP is convenient for the users to finish the basic configuration with their cellphones.



Specification

Hardware

Interface	- 1 *Triangular socket - 1 *IPEX
Power Supply	- AC 110~240V 50Hz/60Hz
Button	- 1 *Touch Switch
LED Indicator	- 1 *Status Light (Red, Orange and Blue)
Antenna	- 1 *internal PCB Antenna

Wireless

Standards	- 2.4G: IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
RF Frequency	- 2.4~2.4835 GHz

Software

	Remote Control APP Management Power Consumption Analysis Support Different Air Conditioning Modes Support Different Types of Air Conditioning Brands
--	--

Others

Package Contents	- Air Conditioning Companion SS001 * 1 - Quick Installation Guide * 1
Environment	- Operating Temperature: -10℃~60℃ (14℉~140℉) - Storage Temperature: -50℃~70℃ (-58℉~158℉) - Operating Humidity: 0%~95% non-condensing - Storage Humidity: 0%~95% non-condensing

ZIONCOM (HK) TECHNOLOGY LIMITED

Copyright ©ZIONCOM (HK) TECHNOLOGY CO., LTD. All Rights Reserved.

Headquarter & R&D Center

7/F, Unit D, 4 Building Shenzhen Software Industry Base, Xuefu Road,
Nanshan District, Shenzhen, Guangdong, China

Tel : +86-755-6136-3288 (Ext.867) | FAX : +86-755-6136-3344

Factory

Building A1 & A2 Lantian Technology Park, Xinyu Road, Xinqiao Henggang Block,
Shajing Street, Baoan District, Shenzhen, Guangdong, China

Direct Line : +86-755-3686-1188(Ext. 5810) | FAX : +86-755-3686-1133