TOTO LINK

The Smartest Network Device

www.totolink.net

300Mbps
USB Wi-Fi Range
Extender

Model No. **EX200U**

Up to 300Mbps
Wi-Fi speed

Wireless Expansion by
Smart Phone

USB 2.0 port

Flexible USB Power Supply

➤ Overview

300Mbps
USB Wi-Fi Range Extender

Model No. EX200U

EX200U USB Wi-Fi Range extender is designed to expand
existing Wi-Fi range to eliminate "dead spots" by Smart phones,
allowing more Wi-Fi devices to access the Internet.
With compact design and USB power supply, EX200U is easy taken-with
and flexible to use in any environment, simply plug and play.
The external two antennas and 300Mbps data transfer rate ensure
stable wireless signal and enable you to enjoy fast expanded Wi-Fi
throughout your house or during travelling.

➤ Features

- Complies with IEEE 802.11n /g/b standards.
- Supports quick setting by smart phone.
- USB 2.0 port supports multiple methods for power supply.
- Up to 300Mbps Wi-Fi speed.
- Two antennas ensure reliable connection.
- Compact design for portable use.

Selling point

➤ Light Up Your Wi-Fi Everywhere

EX200U can extend your wireless network to every corner of your house, ensuring your mobiles devices and PCs a reliable connection to the Internet.

➤ 300Mbps Wireless N Speed

Complying with the 802.11n standard, EX200U delivers Wi-Fi speed up to 300Mbps, making Wi-Fi coverage more wider.

➤ User-friendly Setting Interface for Smart Phone

With special UI design for Smart phones, you are allowed to finish the Wi-Fi extension just by three steps, suitable for all people with no technical background.

➤ High Compatibility

EX200U not only works with all TOTOLINK routers, but also compatible with mainstream wireless router on the market.

Specification

Hardware

Interface	- 1* USB2.0 Port
Antenna	- 2* external antennas
Button	- 1 * RST Button
LED Indicator	- 1* Ext
Dimensions (L X W X H)	- 110 x 45 x 12mm

Wireless

Standards	- IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
RF Frequency	- 2.4~2.4835GHz
Data Rate	- Up to 300Mbps
EIRP	- < 20dBm
Wireless security	- 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK (TKIP/AES)
Reception Sensitivity	- 11b 11M: - 81 dBm
	- 11g 54M: - 68 dBm
	- 11n HT20: - 65 dBm
	HT40: - 62 dBm

Others

Package Contents	- EX200U Extender *1 - Quick Installation Guide *1
Environment	- Operating Temperature: 0℃~50℃ (32℉~122℉) - Storage Temperature: -40℃~70℃ (-40℉~158℉) - Operating Humidity: 10%~90% non-condensing - Storage Humidity: 5%~90% non-condensing

ZIONCOM (HK) TECHNOLOGY LIMITED

Headquarter & R&D Center

7/F, Unit D, 4 Building Shenzhen Software Industry Base, Xuefu Road, Nanshan District, Shenzhen, Guangdong, China

Tel   : +86-755-6136-3288 (Ext.867)   I   FAX : +86-755-6136-3344

Factory

Building A1 & A2 Lantian Technology Park, Xinyu Road, Xinqiao Henggang Block, Shajing Street, Baoan District, Shenzhen, Guangdong, China

Direct Line : +86-755-3686-1188(Ext. 5810)   I   FAX : +86-755-3686-1133

EX200U

300Mbps USB Wi-Fi Range Extender