

Smart Doorbell

TOTOLINK D1, a visual doorbell designed for home security, is equipped with a 1080P camera with night vision, and also features a two-way voice system and other features not available in traditional doorbells.

D1

HD 1080P Full
HD Camera



Two-way Talk



Motion Detection
Warning

 Infrared
Night Vision



145° Ultra-wide
angle 145° FOV



Wireless Indoor
Chime



Overview

TOTOLINK D1, a visual doorbell designed for home security, is equipped with a 1080P camera with night vision, and also features a two-way voice system and other features not available in traditional doorbells. For example, through Wi-Fi control, the camera can be accessed in real time through a smartphone online connection.

This product supports doorbell intercom, after anyone presses the doorbell, the owner, if not home, can make a voice call with the visitor after connecting with the doorbell in the APP, even if no one is home, you can also make a remote visual call, and will not miss each visit, and comes with intelligent voice change function. Another great feature is the 24-hour intelligent detection, supporting PIR human sensor detection, combined with integrated AI algorithm, intelligent detection of humanoid targets and recording to cell phones or cloud storage.

The 145° wide angle camera can avoid blind spots in the vision to prevent criminals, and the IP65 level waterproofing allows the device to work as usual in bad weather.


The indoor chime rings even when the network is disconnected to prevent missing guest visits.

Features

- Wireless installation.
- Two way audio talk, support voice change function.
- PIR motion detection, AI human detection.
- 1080P HD video resolution.
- IR-CUT Night vision.
- Supports up to 128GB of external storage.
- IP65 water proof.
- Quick wakeup.
- Ultra-low power standby.
- Message pushing in 1second.
- Built-in 18650 Lithium battery 2500mAh*2pcs.
- Type-C charge port.
- Anti-tamper alert.



Highlights



HD picture quality, clearer imaging

Equipped with 1080P resolution, 2.0 megapixels, equipped with a large F2.0 aperture and 3D image noise reduction technology to make the picture clearer.

24-hour intelligent detection

Support PIR infrared sensor detection, combined with integrated AI human detection algorithm, smart detection of human targets and video transmission to cell phones or cloud storage to warn users.



IP65 Waterproof

Waterproof and dustproof design, outdoor wall installation not afraid of wind and rain.

145° wide angle camera


The wide angle camera work best for areas where you want a broad view of the surroundings, such as the front door, parking lot, garage, or loading zone.



T-SmartLife, link everything

Log in to the T-SmartLife app on your phone, remote monitoring, safe and worry-free.

Highlights



Enhanced IR Night Vision

Built-in six 850nm IR fill light, automatically open the IR night vision function when the light becomes dark, the outdoor dark is also clearly visible.

Two-way voice calls

When someone presses the doorbell, you can view the doorbell monitoring remotely through the mobile app and make two-way calls with visitors. It comes with intelligent voice change function, which does not reveal gender and age and prevents privacy disclosure.



Remote real-time monitoring

You can wake up the doorbell remotely and check the situation at the door at any time through the mobile APP.




Indoor wireless chime

Ringling even when the network is disconnected, when visitors press the doorbell, you can hear the bell clearly in the house, so you do not miss any visitors.

Specifications

D1 Specification	
Product name	D1
Image sensor	F37 1/3' CMOS
Maximum Pixels	1080P (1920×1080)
Lens	f: 2.52 mm, F:2.4 (IR Lens)
IR LED	850nm/6pcs, distance up to 5 meters
Night vision	IR night vision
PIR	3-7m
View angle	145°
Compression standard	H.264
Video coding	Main stream: 1080P/24fps+VGA/30fps+QVFA/ 30fps+1080P @1fsJPEG snap
Video resolution	1920*1080P@20fps
Audio input/output	Mic, Speaker
Audio	2way intercom
Indicator	System: Red/Blue Charging: Red LED: Charging Blue LED: Finished charging
External storage	Max.128GB Micro SD
General Features	Support IR night vision, customize volume, PIR switch, cloud storage, Siren alarm
Wi-Fi connection	Wi-Fi IEEE 802.11 b/g/n 2.4GHz

Wi-Fi security	64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
Power	18650 Lithium battery 2500mAh *2
Charging	Type-C, 5V 2A
Size	133×48.2×28.5mm(Without Bracket) 133×48.2×30.5(With Bracket)
Operating temperature	-10°C ~ +50°C
Operating humidity	≤95%



Specifications

D1 Chime Specification	
Product No.	D1 Chime
Frequency	433MHz
Receive sensitivity	-109dBm
Melody	50 pcs melodies for choice
Ringing volume	0-100db, 5-level adjustable
Button	1. Melody button: cycle play the melody; 2. Volume button: short press and adjust the volume (Long press to enter the code pairing status)
Power	AC 100-240V
Size	70 x 50 x 34mm
Operating temperature	-10°C ~ +50°C
Operating humidity	≤95%



ZIONCOM (HK) TECHNOLOGY LIMITED

Copyright©ZIONCOM (HK) TECHNOLOGY CO., LTD. All Rights Reserved.

Headquarter & R&D Center

7/F, Unit D, 4 Building Shenzhen Software Industry Base, Xuefu Road,
Nanshan District, Shenzhen, Guangdong, China

Tel : +86-755-3686-1138 | FAX : +86-755-3686-1139

Factory

Building A1 & A2 Lantian Technology Park, Xinyu Road, Xinqiao Henggang Block,
Shajing Street, Baoan District, Shenzhen, Guangdong, China

Tel : +86-755-3686-1188 | FAX : +86-755-3686-1133