

www.totolink.net

The Smartest Network Device

WEELLING TO

CANO !!!

SW16

16-Port 10/100Mbps Rackmount Switch



Auto MDI/MDIX



Plug and Play



IEEE 802.3az

Overview

16-Port 10/100Mbps Rackmount Switch

Model No.SW16

SW16 is a Fast Ethernet Switch that designed for general home or small office use. It provides 16 10/100Mbps ports and all ports support auto MDI/MDIX, no need to worry about the cable type, simply plug and play. Moreover, it can also be simply plugged into a server, a hub or a switch using straight cable or crossover cable.

> Features

- 16 10/100Mbps auto-negotiated RJ45 ports.
- Supports IEEE 802.3x flow control for Full Duplex mode and backpressure for Half Duplex mode.
- 8K entry MAC address table and automatic address learning.
- Auto-MDI/MDIX eliminates the need for crossover cables.
- Store-and-Forward switching scheme.
- Performs non-blocking full wired speed.
- Plug and Play.
- Standard 19-inch rackmount steel case.





Specification

General

Standards

Interface

Power Supply

I FD

Dimensions(L x W x H)

MAC Address Learning

MAC Address Table

Network Media

Backup Bandwidth

Transmission Method

- IEEE 802.3, IEEE 802.3u, IEEE 802.3x

- 16*10/100Mbps auto-negotiation RJ-45 Ports (Auto MDI/MDIX)

- AC 100-240V 50/60Hz

- 1*Power, Link/Act (1~16)

- 440 x 180 x 44mm

- Auto-learning, auto-aging

- 8K

- 10BASE-T: UTP Cat 3, 4, 5 cable

- 100BASE-TX: UTP Cat 5, 5e or above cable

- 3.2Gbps

- Store-and-forward

Others

Package Contents

- SW16 Rackmount Switch *1

- Quick Installation Guide *1

- Power Cable *1

- Rackmount Kit *1

Environment

- Operating Temperature: 0°C~40 °C (32 °F~104°F)

- Storage Temperature: -40°C~70 °C (-40 °F~158°F)

- Operating Humidity: 10%~90% non-condensing

- Storage Humidity: 5%~90% non-condensing

ZIONCOM (HK) TECHNOLOGY LIMITED

Copyright©ZIONCOM (HK) TECHNOLOGY CO., LTD. All Rights Reserved.

Headquarter & R&D Center

7/F, Unit D, 4 Building Shenzhen Software Industry Base, Xuefu Road, Nanshan District, Shenzhen, Guangdong, China

Tel: +86-755-3686-1138 | FAX: +86-755-3686-1139

Factory

Building A1 & A2 Lantian Technology Park, Xinyu Road, Xinqiao Henggang Block, Shajing Street, Baoan District, Shenzhen, Guangdong, China

Tel: +86-755-3686-1188 | FAX: +86-755-3686-1133

